

SWITCHES AND SOCKETS


FLUSH MOUNTED

- ASTORIA
- SENTIA
- VOLANTE
- LORENTE
- CARLA




AVAILABLE COLOURS SWITCHES AND SOCKETS FLUSH MOUNTED


ASTORIA




white



silver



black metallized




gray (frames)




anthracite (frames)


SENTIA




white



cream



silver (acrylic)




black metallized




wenge (frames)


VOLANTE




white



cream




silver




graphite


LORENTE



white




silver




graphite


CARLA




white



cream



silver



graphite




wenge (frames)

ASTORIA®



GWARANCJA
JAKOŚCI
I CENY



white



silver



black


New light into your residence

New frame serie

This serie is frame system, reliability, functionality and easy to assembly

Serie Astoria available colors:


- white
- silver
- black metallized
- anthracite (frames)
- jasny gray (frames)



ASTORIA SWITCH FLUSH MOUNTED 1-POLE

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
1PT 1 pole	White	10	1,0	3210-00
	Silver			3210-06
	Black metallized			3210-09


NORM: PN-EN-60669-1:2006
 Switching on one light source or one group of light sources.
 Switches: 10A/250V~self-terminals
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm



ASTORIA SWITCH FLUSH MOUNTED 1-POLE WITH BACKLIGHT

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
1PT 1-pole with backlight	White	10	1,0	3223-00
	Silver			3223-06
	Black metallized			3223-09


NORM: PN-EN-60669-1:2006
 Switching on one light source or one group of light sources.
 Switches: 10A/250V~self-terminals
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm



ASTORIA SWITCH FLUSH MOUNTED CANDLESTICK

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
1PT candlestick	White	10	1,0	3211-00
	Silver			3211-06
	Black metallized			3211-09


NORM: PN-EN-60669-1:2006
 Switches: 10A/250V~self-terminals
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm



ASTORIA SWITCH FLUSH MOUNTED CANDLESTICK WITH BACKLIGHT

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
1PT candlestick with backlight	White	10	1,0	3224-00
	Silver			3224-06
	Black metallized			3224-09


NORM: PN-EN-60669-1:2006
 Switches: 10A/250V~self-terminals
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm



ASTORIA SWITCH FLUSH MOUNTED TWO WAY

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
1PT two way	White	10	1,0	3212-00
	Silver			3212-06
	Black metallized			3212-09


NORM: PN-EN-60669-1:2006
 Switching on one light source or one group of light sources.
 Switches: 10A/250V~self-terminals
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm



ASTORIA SWITCH FLUSH MOUNTED TWO WAY WITH BACKLIGHT

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT two way with backlight	White	10	1,0	3225-00
	Silver			3225-06
	Black metallized			3225-09


NORM: PN-EN-60669-1:2006
 Switching on one light source or one group of light sources.
 Switches: 10A/250V~self-terminals
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm



ASTORIA SWITCH FLUSH MOUNTED DOUBLE TWO WAY

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT 2x two way	White	10	0,6	3218-00
	Silver			3218-06
	Black metallized			3218-09


NORM: PN-EN-60669-1:2006
 Switching on one light source or one group of light sources.
 Switches: 10A/250V~self-terminals
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm



ASTORIA SWITCH FLUSH MOUNTED PUSH „LIGHT”

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT push „light”	White	10	0,6	3213-00
	Silver			3213-06
	Black metallized			3213-09


NORM: PN-EN-60669-1:2006
 Switching on one light source or one group of light sources.
 Switches: 10A/250V~self-terminals
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm



ASTORIA SWITCH FLUSH MOUNTED BLIND

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT blind	White	6	0,6	3216-00
	Silver			3216-06
	Black metallized			3216-09


NORM: PN-EN-60669-1:2006
 Switching on one light source or one group of light sources.
 Switches: 10A/250V~self-terminals
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm



ASTORIA SWITCH FLUSH MOUNTED PUSH „BELL”

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT push „bell”	White	6	0,6	3214-00
	Silver			3214-06
	Black metallized			3214-09

NORM: PN-EN-60669-1:2006
 Switching on one light source or one group of light sources.
 Switches: 10A/250V~self-terminals
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm



ASTORIA SWITCH FLUSH MOUNTED CROSSED

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT crossed	White	6	0,6	3215-00
	Silver			3215-06
	Black metallized			3215-09

NORM: PN-EN-60669-1:2006
 Switching on one light source or one group of light sources.
 Switches: 10A/250V~self-terminals
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm

LED



ASTORIA DIMMER FOR LED SOURCES

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
SPT Dimmer for LED sources	White	6	0,6	3207-00
	Silver			3207-06
	Black metallized			3207-09

Controlling the brightness of the stream of connected LED sources
 NORM: PN-EN-60669-1:2006
 Switching on one light source or one group of light sources.
 Switches: 10A/250V~self-terminals
 Degree of protection IP20. External dimensions with frame: 85 mm x 85 mm



ASTORIA MASK

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
Mask	White	6	0,57	3270-10
	Silver			3270-16
	Black metallized			3270-19

NORM: PN-EN-60669-1:2006
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm



ASTORIA SOCKET WITH GROUNDING

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2P+Z	White	10	1,2	3234-10
	Silver			3234-16
	Black metallized			3234-19

NORM: PN-EN-60669-1:2006
Sockets: 16A/230V~ screw terminals
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



ASTORIA SOCKET MODULAR

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2x2P	White	10	1,3	3243-10
	Silver			3243-16
	Black metallized			3243-19

NORM: PN-EN-60669-1:2006
Socket modular for multiple frame.
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



ASTORIA SOCKET DOUBLE WITH GROUNDING

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2x2P+Z	White	10	1,3	3235-00
	Silver			3235-06
	Black metallized			3235-09

NORM: PN-EN-60669-1:2006
Sockets: 16A/230V~ screw terminals
Degree of protection IP20
External dimensions with frame: 85 mm x 113 mm



ASTORIA SOCKET WITH GROUNDING IP 44

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2P+Z IP 44	White	10	1,3	3236-10
	Silver			3236-16
	Black metallized			3236-19

NORM: PN-IEC 60884-2-2:2012
Sockets: 16A/230V~ screw terminals
Degree of protection IP44
External dimensions with frame: 85 mm x 85 mm



ASTORIA SOCKET COMPUTER

Type	Color	Pack.	Weight	Index
		pc.	kg/pack kit.	
GPT RJ 45 5 KAT	White	6	0,6	3248-10
	Silver			3248-16
	Black metallized			3248-19

NORM: PN-IEC 60884-2-2:2012
Sockets: RJ45 5KAT
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



ASTORIA SOCKET DOUBLE COMPUTER

Type	Color	Pack.	Weight	Index
		pc.	kg/pack kit.	
GPT 2x RJ 45 5 KAT	White	6	0,6	3249-10
	Silver			3249-16
	Black metallized			3249-19

NORM: PN-IEC 60884-2-2:2012
Sockets: RJ45 5KAT
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



ASTORIA SOCKET R-TV -2XSAT TERMINAL

Type	Color	Pack.	Weight	Index
		pc.	kg/pack kit.	
GPT RTV – 2xSAT	White	6	0,6	3260-10
	Silver			3260-16
	Black metallized			3260-19

NORM: PN-EN-50083-1:2002
Sockets: R-TV-SAT
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



ASTORIA SOCKET R-TV-SAT TERMINAL

Type	Color	Pack.	Weight	Index
		pc.	kg/pack kit.	
GPT R-TV-SAT terminal	White	6	0,6	3253-10
	Silver			3253-16
	Black metallized			3253-19

NORM: PN-EN-50083-1:2002
Sockets: R-TV-SAT
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



ASTORIA SOCKET TV F-F

Type	Color	Pack.	Weight	Index
		pc.	kg/pack kit.	
GN TV F-F	White	6	0,6	3286-10
	Silver			3286-16
	Black metallized			3286-19

NORM: PN-EN-50083-1:2002
Sockets: F-F
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



ASTORIA SOCKET DOUBLE TV F-F

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GN TV 2x F-F	White	6	0,6	3287-10
	Silver			3287-16
	Black metallized			3287-19

NORM: PN-EN-50083-1:2002
 Sockets: F-F
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm



ASTORIA SOCKET SPEAKER

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT speaker	White	6	0,6	3257-10
	Silver			3257-16
	Black metallized			3257-19

NORM: PN-EN-50083-1:2002
 Sockets: speaker
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm



ASTORIA SOCKET DOUBLE SPEAKER

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2x speaker	White	6	0,6	3258-10
	Silver			3258-16
	Black metallized			3258-19

NORM: PN-EN-50083-1:2002
 Sockets: speaker
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm



ASTORIA GPT 2P+Z 2XUSB Z/R

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2P+Z 2xUSB	White	6	0,6	3288-00
	Silver			3288-06
	Black metallized			3288-09

NORM: PN-IEC 60884-2-2:2012
 Sockets: GPT 2P+Z 2xUSB
 Sockets: 16A/230V~ screw terminals
 Degree of protection IP20
 Socket USB power supply for charging mobile devices smartphone, tablet etc.
 External dimensions with frame: 85 mm x 85 mm



ASTORIA UNIVERSAL FRAME SINGLE

Type	Color	Pack. pc.	Weight kg/100 pc.	Index
R1	White	50	0,6	3271-00
	Silver			3271-06
	Black metallized			3271-09
	Grey			3271-02
	Anthracite			3271-03

External dimension: 85x85



ASTORIA UNIVERSAL FRAME DOUBLE

Type	Color	Pack. pc.	Weight kg/100 pc.	Index
R2	White	50	0,6	3272-00
	Silver			3272-06
	Black metallized			3272-09
	Grey			3272-02
	Anthracite			3272-03

External dimension: 85x156



ASTORIA UNIVERSAL FRAME TRIPLE

Type	Color	Pack. pc.	Weight kg/100 pc.	Index
R3	White	50	0,6	3273-00
	Silver			3273-06
	Black metallized			3273-09
	Grey			3273-02
	Anthracite			3273-03

External dimension: 85x227



ASTORIA UNIVERSAL FRAME FOURFOLD

Type	Color	Pack. pc.	Weight kg/100 pc.	Index
R4	White	50	0,6	3274-00
	Silver			3274-06
	Black metallized			3274-09
	Grey			3274-02
	Anthracite			3274-03

External dimension: 85x299

NEW



silver



black metallized



grey



anthracite

*ATTENTION - Product indexes given in the version without a frame.

GLASS



ASTORIA UNIVERSAL FRAME SINGLE

Type	Color	Pack. pc.	Weight kg/100pc.	Index
R1	Black	50	0,6	3271-61
	White			3271-62
	Silver			3271-63
	Anthracite			3271-72

GLASS



ASTORIA UNIVERSAL FRAME DOUBLE

Type	Color	Pack. pc.	Weight kg/100pc.	Index
R2	Black	50	0,6	3272-61
	White			3272-62
	Silver			3272-63
	Anthracite			3272-72

GLASS



ASTORIA UNIVERSAL FRAME TRIPLE

Type	Color	Pack. pc.	Weight kg/100pc.	Index
R3	Black	50	0,6	3273-61
	White			3273-62
	Silver			3273-63
	Anthracite			3273-72

GLASS



ASTORIA UNIVERSAL FRAME FOURFOLD

Type	Color	Pack. pc.	Weight kg/100pc.	Index
R4	Black	50	0,6	3274-61
	White			3274-62
	Silver			3274-63
	Anthracite			3274-72

Available colors



black



white



silver



anthracite

*ATTENTION - Product indexes given in the version without a frame.



SENTIA SWITCH FLUSH MOUNTED 1-POLE

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
ŁPT-1 pole	White	10	1,0	1410-10
	Cream			1410-11
	Silver			1410-56
	Black metallized			1410-19

NORM: PN-EN-60669-1:2006
Switching on one light source or one group of light sources.
Switches: 10A/250V-self-terminals
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



SENTIA SWITCH FLUSH MOUNTED 1-POLE WITH BACKLIGHT

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
ŁPT 1-pole with backlight	White	10	1,0	1423-10
	Cream			1423-11
	Silver			1423-56
	Black metallized			1423-19

NORM: PN-EN-60669-1:2006
Switching on one light source or one group of light sources.
Switches: 10A/250V-self-terminals
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



SENTIA SWITCH FLUSH MOUNTED CANDLESTICK

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
ŁPT candlestick	White	10	1,0	1411-10
	Cream			1411-11
	Silver			1411-56
	Black metallized			1411-19

NORM: PN-EN-60669-1:2006
Switches: 10A/250V-self-terminals
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



SENTIA SWITCH FLUSH MOUNTED CANDLESTICK WITH BACKLIGHT

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
ŁPT candlestick with backlight	White	10	1,0	1424-10
	Cream			1424-11
	Silver			1424-56
	Black metallized			1424-19

NORM: PN-EN-60669-1:2006
Switches: 10A/250V-self-terminals
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



SENTIA SWITCH FLUSH MOUNTED TWO WAY

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
ŁPT two way	White	10	1,0	1412-10
	Cream			1412-11
	Silver			1412-56
	Black metallized			1412-19

NORM: PN-EN-60669-1:2006
Switching on one light source or one group of light sources.
Switches: 10A/250V-self-terminals
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



SENTIA SWITCH FLUSH MOUNTED TWO WAY WITH BACKLIGHT

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
ŁPT two way with backlight	White	10	1,0	1425-10
	Cream			1425-11
	Silver			1425-56
	Black metallized			1425-19

NORM: PN-EN-60669-1:2006
 Switching on one light source or one group of light sources.
 Switches: 10A/250V-self-terminals
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm



SENTIA SWITCH FLUSH MOUNTED DOUBLE TWO WAY

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
ŁPT 2x two way	White	6	0,6	1418-10
	Cream			1418-11
	Silver			1418-56
	Black metallized			1418-19

NORM: PN-EN-60669-1:2006
 Switching on one light source or one group of light sources.
 Switches: 10A/250V-self-terminals
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm



SENTIA SWITCH FLUSH MOUNTED CROSSED

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
ŁPT crossed	White	6	0,6	1415-10
	Cream			1415-11
	Silver			1415-56
	Black metallized			1415-19

NORM: PN-EN-60669-1:2006
 Switching on one light source or one group of light sources.
 Switches: 10A/250V-self-terminals
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm



SENTIA SWITCH FLUSH MOUNTED CROSSED WITH BACKLIGHT

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
ŁPT crossed with backlight	White	6	0,6	1428-10
	Cream			1428-11
	Silver			1428-56
	Black metallized			1428-19

NORM: PN-EN-60669-1:2006
 Switching on one light source or one group of light sources.
 Switches: 10A/250V-self-terminals
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm



SENTIA SWITCH FLUSH MOUNTED 2-POLES (0-1)

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
ŁPT 2-poles (0-1)	White	6	0,6	1419-10
	Cream			1419-11
	Silver			1419-56
	Black metallized			1419-19

NORM: PN-EN-60669-1:2006
 Switching on one light source or one group of light sources.
 Switches: 10A/250V-self-terminals
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm

SENTIA



SENTIA SWITCH FLUSH MOUNTED BLIND

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
ŁPT blind	White	6	0,6	1416-10
	Cream			1416-11
	Silver			1416-56
	Black metallized			1416-19

NORM: PN-EN-60669-1:2006
Switching on one light source or one group of light sources.
Switches: 10A/250V-self-terminals
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



SENTIA SWITCH FLUSH MOUNTED PUSH „BELL”

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
ŁPT push „bell”	White	6	0,6	1414-10
	Cream			1414-11
	Silver			1414-56
	Black metallized			1414-19

NORM: PN-EN-60669-1:2006
Switching on one light source or one group of light sources.
Switches: 10A/250V-self-terminals
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



SENTIA SWITCH FLUSH MOUNTED PUSH „BELL” WITH BACKLIGHT

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
ŁPT push „bell” with backlight	White	6	0,6	1427-10
	Cream			1427-11
	Silver			1427-56
	Black metallized			1427-19

NORM: PN-EN-60669-1:2006
Switching on one light source or one group of light sources.
Switches: 10A/250V-self-terminals
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



SENTIA SWITCH FLUSH MOUNTED PUSH „LIGHT”

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
ŁPT push „light”	White	6	0,6	1413-10
	Cream			1413-11
	Silver			1413-56
	Black metallized			1413-19

NORM: PN-EN-60669-1:2006
Switching on one light source or one group of light sources.
Switches: 10A/250V-self-terminals
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



SENTIA SWITCH FLUSH MOUNTED PUSH „LIGHT” WITH BACKLIGHT

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
ŁPT push „light” with backlight	White	6	0,6	1426-10
	Cream			1426-11
	Silver			1426-56
	Black metallized			1426-19

NORM: PN-EN-60669-1:2006
Switching on one light source or one group of light sources.
Switches: 10A/250V-self-terminals
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



SENTIA SWITCH FLUSH MOUNTED PUSH WITHOUT PICTOGRAM

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
ŁPT-1 push	White	6	0,6	1403-10
	Cream			1403-11
	Silver			1403-56
	Black metallized			1403-19

NORM: PN-EN-60669-1:2006
 Switching on one light source or one group of light sources.
 Switches: 10A/250V-self-terminals
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm



SENTIA SWITCH FLUSH MOUNTED PUSH WITHOUT PICTOGRAM BACKLIGHT

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
ŁPT push with backlight	White	6	0,6	1420-10
	Cream			1420-11
	Silver			1420-56
	Black metallized			1420-19

NORM: PN-EN-60669-1:2006
 Switching on one light source or one group of light sources.
 Switches: 10A/250V-self-terminals
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm



SENTIA SWITCH FLUSH MOUNTED DOUBLE PUSH WITHOUT PICTOGRAM

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
ŁPT 2x push	White	6	0,6	1401-10
	Cream			1401-11
	Silver			1401-56
	Black metallized			1401-19

NORM: PN-EN-60669-1:2006
 Switching on one light source or one group of light sources.
 Switches: 10A/250V-self-terminals
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm



SENTIA SWITCH FLUSH MOUNTED PUSH „KEY”

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
ŁPT -push klucz	White	6	0,6	1404-10
	Cream			1404-11
	Silver			1404-56
	Black metallized			1404-19

NORM: PN-EN-60669-1:2006
 Switching on one light source or one group of light sources.
 Switches: 10A/250V-self-terminals
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm



SENTIA ROTARY DIMMER WITH BUTTON OPTION 400 W

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
SPT dimmer 400W	White	6	0,75	1417-10
	Cream			1417-11
	Silver			1417-56
	Black metallized			1417-19

NORM: PN-EN-60669-1:2006
 Switching on one light source or one group of light sources.
 Switches: 10A/250V-self-terminals
 Degree of protection IP 20, also available for source versions LED index : 1407-xx
 External dimensions with frame: 85 mm x 85 mm



SENTIA MASK

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
Mask	White	6	0,57	1470-10
	Cream			1470-11
	Silver			1470-56
	Black metallized			1470-19

NORM: PN-EN-60669-1:2006
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



SENTIA SWITCH FLUSH MOUNTED HOTEL CARD WITH BACKLIGHT (ONLY WHITE COLOR)

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
ŁPT hotel	White	6	0,6	1467-10

NORM: PN-EN-60669-1:2006
Switching on one light source or one group of light sources.
Switches: 10A/250V-self-terminals
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



SENTIA A MOTION SENSOR 180° (ONLY WHITE COLOR)

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
motion sensor 180°	White	1	0,13	1463-00

NORM: PN-EN-60669-1:2006
Switching on one light source or one group of light sources.
Switches: 10A/250V-self-terminals
Degree of protection IP20
Frame included.
External dimensions with frame: 85 mm x 85 mm



SENTIA THERMOREGULATOR (ONLY WHITE COLOR)

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
thermoregulator	White	1	0,1	1464-00

NORM: PN-EN-60669-1:2006
Switching on one light source or one group of light sources.
Switches: 10A/250V-self-terminals
Degree of protection IP20
Frame included
External dimensions with frame: 85 mm x 85 mm



SENTIA TERMOREGULATOR LCD + SENSOR (ONLY WHITE COLOR)

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
Termoregulator LCD + sensor	White	1	0,12	1465-00

NORM: PN-EN-60669-1:2006
Switching on one light source or one group of light sources.
Switches: 10A/250V-self-terminals
Degree of protection IP20
Frame included
External dimensions with frame: 85 mm x 85 mm

SENTIA COLOURS

SENTIA




white




cream

NEW



silver gloss



black metallized



red gloss



wenge



SENTIA SOCKET WITH GROUNDING

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
GPT 2P+Z	White	10	1,2	1434-10
	Cream			1434-11
	Silver			1434-56
	Black metallized			1434-19

NORM: PN-IEC 60884-2-2:2012
Sockets: 16A/230V~ screw terminals
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



SENTIA SOCKET

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
GPT 2P	White	10	1,2	1440-10
	Cream			1440-11
	Silver			1440-56
	Black metallized			1440-19

NORM: PN-IEC 60884-2-2:2012
Sockets: 16A/230V~ screw terminals
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



SENTIA SOCKET WITH GROUNDING WITH PRINT „DATA”

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
GPT 2P+Z	Red	10	1,2	1442-10

NORM: PN-IEC 60884-2-2:2012
Sockets: 16A/230V~ screw terminals
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



SENTIA SOCKET WITH GROUNDING 45X45 MM 33° CODED

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
GPT 2P+Z	Red	10	1,2	1482-10

NORM: PN-IEC 60884-2-2:2012
Sockets: 16A/230V~ screw terminals
Degree of protection IP20
Requires a key index: 148103-00
External dimensions with frame: 85 mm x 85 mm



SENTIA CODED KEY

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
coded key	Black	10		148103-00

NORM: IEC-60669-1:1998, PN-EN-60669-1:2002



SENTIA SOCKET DOUBLE MODULAR WITH GROUNDING

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
GPT 2x2P+Z	White	10	1,3	1443-10
	Cream			1443-11
	Silver			1443-56
	Black metallized			1443-19

NORM: PN-IEC 60884-2-2:2012
Sockets: 16A/230V~ screw terminals
Degree of protection IP20
Socket modular for multiple frame
External dimensions with frame: 85 mm x 85 mm



SENTIA SOCKET DOUBLE MODULAR

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
GPT 2x2P	White	10	1,3	1444-10
	Cream			1444-11
	Silver			1444-56
	Black metallized			1444-19

NORM: PN-IEC 60884-2-2:2012
Sockets: 16A/230V~ screw terminals
Degree of protection IP20
Socket modular for multiple frame
External dimensions with frame: 85 mm x 85 mm



SENTIA SOCKET WITH GROUNDING IP 44 SMOKE

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
GPT 2P+Z IP 44	White	10	1,2	1466-10
	Cream			1466-11
	Silver			1466-56
	Black metallized			1466-19

NORM: PN-IEC 60884-2-2:2012
Sockets: 16A/230V~ screw terminals
Degree of protection IP44
External dimensions with frame: 85 mm x 85 mm



SENTIA SOCKET WITH GROUNDING IP 44

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
GPT 2P+Z IP 44	White	10	1,2	1436-10
	Cream			1436-11
	Silver			1436-56
	Black metallized			1436-19

NORM: PN-IEC 60884-2-2:2012
Sockets: 16A/230V~ screw terminals
Degree of protection IP44
External dimensions with frame: 85 mm x 85 mm



SENTIA GASKET FOR SWITCH FLUSH MOUNTED AND SOCKETS IP 44

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
gasket	Transp.	10	0,042	143603-00

NORM: PN-EN-60669-1:2006
Degree of protection IP44
External dimensions with frame: 85 mm x 85 mm



SENTIA SOCKET WITH GROUNDING SCHUKO

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
GPT 2P+Z SCHUKO	White	10	1,2	1437-10
	Cream			1437-11
	Silver			1437-56
	Black metallized			1437-19

NORM: PN-IEC 60884-2-2:2012
Sockets: 16A/230V~ screw terminals
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



SENTIA SOCKET DOUBLE WITH GROUNDING SCHUKO

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
GPT 2x2P+Z SCHUKO	White	10	1,3	1438-00
	Cream			1438-01
	Silver			1438-06
	Black metallized			1438-19

NORM: PN-IEC 60884-2-2:2012
Sockets: 16A/230V~ screw terminals
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



SENTIA SOCKET WITH GROUNDING IP 44 SCHUKO SMOKE

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
GPT 2P+Z IP 44 SCHUKO	White	10	1,2	1469-10
	Cream			1469-11
	Silver			1469-56
	Black metallized			1469-19

NORM: PN-IEC 60884-2-2:2012
Sockets: 16A/230V~ screw terminals
Degree of protection IP44
External dimensions with frame: 85 mm x 85 mm



SENTIA SOCKET WITH GROUNDING IP 44 SCHUKO

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2P+Z IP 44 SCHUKO	White	10	1,2	1439-10
	Cream			1439-11
	Silver			1439-56
	Black metallized			1439-19

NORM: PN-IEC 60884-2-2:2012
Sockets: 16A/230V~ screw terminals
Degree of protection IP44
External dimensions with frame: 85 mm x 85 mm



SENTIA SOCKET TELEPHONE

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
GPT RJ 11	White	6	0,6	1450-10
	Cream			1450-11
	Silver			1450-56
	Black metallized			1450-19

NORM: PN-IEC 60884-2-2:2012
Sockets: RJ11
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



SENTIA SOCKET DOUBLE TELEPHONE

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
GPT 2xRJ 11	White	6	0,6	1451-10
	Cream			1451-11
	Silver			1451-56
	Black metallized			1451-19

NORM: PN-IEC 60884-2-2:2012
Sockets: RJ11
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



SENTIA SOCKET COMPUTER

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
GPT RJ 45	White	6	0,6	1448-10
	Cream			1448-11
	Silver			1448-56
	Black metallized			1448-19

NORM: PN-IEC 60884-2-2:2012
Sockets: RJ45
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



SENTIA SOCKET DOUBLE COMPUTER

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
GPT 2x RJ 45	White	6	0,6	1449-10
	Cream			1449-11
	Silver			1449-56
	Black metallized			1449-19

NORM: PN-IEC 60884-2-2:2012
Sockets: RJ45
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



SENTIA SOCKET COMPUTER + TELEPHONE

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
GPT RJ 45 + RJ 11	White	6	0,6	1459-10
	Cream			1459-11
	Silver			1459-56
	Black metallized			1459-19

NORM: PN-IEC 60884-2-2:2012
Sockets: RJ45+RJ11
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



SENTIA SOCKET TV F-F

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
GN TV F-F	White	6	0,6	1486-10
	Cream			1486-11
	Silver			1486-56
	Black metallized			1486-19

NORM: PN-EN-50083-1:2002
Sockets: F-F
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



SENTIA SOCKET DOUBLE TV F-F

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GN TV 2xF-F	White	6	0,6	1487-10
	Cream			1487-11
	Silver			1487-56
	Black metallized			1487-19

NORM: PN-EN-50083-1:2002
Sockets: F-F
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



SENTIA SOCKET R-TV -2XSAT TERMINAL

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
GPT RTV – 2xSAT	White	6	0,6	1460-10
	Cream			1460-11
	Silver			1460-56
	Black metallized			1460-19

NORM: PN-EN-50083-1:2002
Sockets: R-TV-SAT
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



SENTIA SOCKET R-TV-SAT 10 DB

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
GPT R-TV-SAT 10 dB	White	6	0,6	1461-10
	Cream			1461-11
	Silver			1461-56
	Black metallized			1461-19

NORM: PN-EN-50083-1:2002
Sockets: R-TV-SAT
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



SENTIA SOCKET R-TV-SAT TERMINAL

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
GPT R-TV-SAT terminal	White	6	0,6	1453-10
	Cream			1453-11
	Silver			1453-56
	Black metallized			1453-19

NORM: PN-EN-50083-1:2002
Sockets: R-TV-SAT
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



SENTIA SOCKET R-TV 10DB, 14DB, 16DB

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame		
				10dB	14dB	16dB
GPT R-TV	White	6	0,7	1454-10	1455-10	1456-10
	Cream			1454-11	1455-11	1456-11
	Silver			1454-56	1455-56	1456-56
	Black metallized			1454-19	1455-19	1456-19

NORM: PN-EN-50083-1:2002
Sockets: R-TV
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



SENTIA SOCKET R-TV TERMINAL, ENDING

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame	
				terminal	ending
GPT R-TV	White	6	0,7	1452-10	1462-10
	Cream			1452-11	1462-11
	Silver			1452-56	1462-56
	Black metallized			1452-19	1462-19

NORM: PN-EN-50083-1:2002
Sockets: R-TV
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



SENTIA SOCKET SPEAKER

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
GPT speaker	White	6	0,7	1457-10
	Cream			1457-11
	Silver			1457-56
	Black metallized			1457-19

NORM: PN-EN-50083-1:2002
Sockets: speaker
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



SENTIA SOCKET DOUBLE SPEAKER

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
GPT 2x speaker	White	6	0,7	1458-10
	Cream			1458-11
	Silver			1458-56
	Black metallized			1458-19

NORM: PN-EN-50083-1:2002
Sockets: speaker
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm

NEW



SENTIA GPT 2P+Z 2XUSB Z/R

Type	Color	Pack. pc.	Weight kg/pack kit.	Index without frame
GPT 2P+Z 2xUSB	White	1	0,6	1488-00
	Silver			1488-06
	Black metallized			1488-09

NORM: PN-IEC 60884-2-2:2012
 Sockets: GPT 2P+Z 2xUSB
 Sockets: 16A/230V~ screw terminals
 Degree of protection IP20
 Socket USB power supply for charging mobile devices smartphone, tablet etc.
 External dimensions with frame: 85 mm x 85 mm

SENTIA

USB power
 5V DC
 2.1A / socket





ELEKTRO-PLAST


NASIELSK



SENTIA UNIVERSAL FRAME SINGLE

Type	Color	Pack. pc.	Weight kg/100 pc.	Index
R1	White	50	0,6	1471-00
	Cream			1471-01
	Silver			1471-56
	Black metallized			1471-09
	Red			1471-59
	Wenge			1471-34

External dimension: 85x85



SENTIA UNIVERSAL FRAME DOUBLE

Type	Color	Pack. pc.	Weight kg/100 pc.	Index
R2	White	25	0,6	1472-00
	Cream			1472-01
	Silver			1472-56
	Black metallized			1472-09
	Red			1472-59
	Wenge			1472-34

External dimension: 85x156



SENTIA UNIVERSAL FRAME TRIPLE

Type	Color	Pack. pc.	Weight kg/100 pc.	Index
R3	3White	20	0,62	1473-00
	Cream			1473-01
	Silver			1473-56
	Black metallized			1473-09
	Red			1473-59
	Wenge			1473-34

External dimension: 85x227



SENTIA UNIVERSAL FRAME FOURFOLD

Type	Color	Pack. pc.	Weight kg/100 pc.	Index
R4	White	15	0,6	1474-00
	Cream			1474-01
	Silver			1474-56
	Black metallized			1474-09
	Red			1474-59
	Wenge			1474-34

External dimension: 85x299



SENTIA UNIVERSAL FRAME FIVEFOLD

Type	Color	Pack. pc.	Weight kg/100 pc.	Index
R5	White	10	0,6	1475-00
	Cream			1475-01
	Silver			1475-56
	Black metallized			1475-09
	Red			1475-59
	Wenge			1475-34

External dimension: 85x370


SENTIA - FRAMES




1471-00
Frame 1x white



1471-01
Frame 1x cream



1471-56
Frame 1x silver



1471-09
Frame 1x
black metallized



1471-34
Frame 1x wenge



1471-59
Frame 1x red



1471-40
Frame 1x white IP44


IP44

IP44


Universal system multiple frames

provides various configuration max 5 mod vertical and horizontal version


- due to symmetric construction all frames provides vertical and horizontal assembly
- Sentia serie brings frames from 1 to 5
- each single socket equipped with child protection



1472-00
Frame 2x
white



1473-00
Frame 3x
white



1474-00
Frame 4x
white



1475-00
Frame 5x
white



SENTIA ADAPTER SURFACE MOUNTED MAIN




Type	Color	Pack. pc.	Waga kg/1 szt.	Index
Adapter n/t	White	10	0,053	1480-10
	Cream			1480-11
	Silver			1480-12

The surface-mounted adapter enables the assembly and extension of wall-mounted electrical installation accessories to the wall version.

SENTIA ADAPTER SURFACE MOUNTED EXTENDED

Type	Color	Pack. pc.	Waga kg/1 szt.	Index
Adapter n/t	White	10	0,04	1480-20
	Cream			1480-21
	Silver			1480-22

Expansion adapter in conjunction with the basic adapter 1480-XX enables the assembly of accessories in multiple frames in any number of modules.




• SURFACE MOUNTED



ELEMENTS:

- SWITCH FLUSH MOUNTED 1410-10
- SOCKET 1434-10
- FRAME R2 1472-00
- MAIN ADAPTER 1480-10
- EXTENDED ADAPTER 1480-20



SENTIA™

Harmony **style™**

Frames **glass**

SENTIA



White



Sea



Limon



Honey



Black



Silver

Design of glass frames SENTIA™

it has been designed to meet the aesthetic requirements and visions of the decorating clients

SENTIA



GLASS

SENTIA GLASS FRAME UNIVERSAL SINGLE

Type	Color	Pack. pc. /kg	Weight kg/100pc.	Index
R1	Glass black	1	0,06	1471-61
	Glass white			1471-62
	Glass silver			1471-63
	Glass sea			1471-64
	Glass blue			1471-66
	Glass strawberry			1471-67
	Glass vanilla			1471-68
	Glass chocolate			1471-69
	Glass limon			1471-70
	Glass honey			1471-71

External dimension: 95x95

GLASS

SENTIA GLASS FRAME UNIVERSAL DOUBLE

Type	Color	Pack. pc. /kg	Weight kg/100pc.	Index
R2	Glass black	1	0,01	1472-61
	Glass white			1472-62
	Glass silver			1472-63
	Glass sea			1472-64
	Glass blue			1472-66
	Glass strawberry			1472-67
	Glass vanilla			1472-68
	Glass chocolate			1472-69
	Glass limon			1472-70
	Glass honey			1472-71

External dimension: 95x166

GLASS

SENTIA GLASS FRAME UNIVERSAL TRIPLE

Type	Color	Pack. pc. /kg	Weight kg/100pc.	Index
R3	Glass black	1	0,014	1473-61
	Glass white			1473-62
	Glass silver			1473-63
	Glass sea			1473-64
	Glass blue			1473-66
	Glass strawberry			1473-67
	Glass vanilla			1473-68
	Glass chocolate			1473-69
	Glass limon			1473-70
	Glass honey			1473-71

External dimension: 95x237

GLASS

SENTIA GLASS FRAME UNIVERSAL FOURFOLD

Type	Color	Pack. pc. /kg	Weight kg/100pc.	Index
R4	Glass black	1	0,014	1474-61
	Glass white			1474-62
	Glass silver			1474-63
	Glass sea			1474-64
	Glass blue			1474-66
	Glass strawberry			1474-67
	Glass vanilla			1474-68
	Glass chocolate			1474-69
	Glass limon			1474-70
	Glass honey			1474-71

External dimension: 95x308

- new glass frames are essential aesthetic part electrical switches and sockets
- version metallic double coated paint and acrylic what helps to avoid any scratches
- glass frames makes a suitable harmony to Sentia™ serie due to vertical and horizontal assembly.



White

SENTIA



Blue



Strawberry



Vanilla



Chocolate



Limon



Honey



Black




Sea



Silver

Volante

FRAME SERIES



epn



Volante



white



cream



silver



graphite

VOLANTE

Frame **Volante**:



- **WIDE COLOUR PALLET**
- **FRAMES GLASS**
- **FRAME SERIES**
- **DIMMER LED**
- **BACKLIGHT**
- **SOCKETS PC, TEL, TV-SAT**



VOLANTE SWITCH FLUSH MOUNTED 1-POLE

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT-1 pole	White	10	1,0	2610-00
	Cream			2610-01
	Silver			2610-06
	Graphite			2610-08

NORM: PN-EN-60669-1:2006
Switching on one light source or one group of light sources.
Switches: 10A/250V-self-terminals
Degree of protection IP20
External dimensions with frame: 86 mm x 86 mm



VOLANTE SWITCH FLUSH MOUNTED 1-POLE WITH BACKLIGHT

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT 1-pole with backlight	White	10	1,0	2623-00
	Cream			2623-01
	Silver			2623-06
	Graphite			2623-08

NORM: PN-EN-60669-1:2006
Switching on one light source or one group of light sources.
Switches: 10A/250V-self-terminals
Degree of protection IP20
External dimensions with frame: 86 mm x 86 mm



VOLANTE SWITCH FLUSH MOUNTED CANDLESTICK

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT candlestick	White	10	1,0	2611-00
	Cream			2611-01
	Silver			2611-06
	Graphite			2611-08

NORM: PN-EN-60669-1:2006
Switches: 10A/250V-self-terminals
Degree of protection IP20
External dimensions with frame: 86 mm x 86 mm



VOLANTE SWITCH FLUSH MOUNTED CANDLESTICK WITH BACKLIGHT

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT candlestick with backlight	White	10	1,0	2624-00
	Cream			2624-01
	Silver			2624-06
	Graphite			2624-08

NORM: PN-EN-60669-1:2006
Switches: 10A/250V-self-terminals
Degree of protection IP20
External dimensions with frame: 86 mm x 86 mm



VOLANTE SWITCH FLUSH MOUNTED TWO WAY

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT two way	White	10	1,0	2612-00
	Cream			2612-01
	Silver			2612-06
	Graphite			2612-08

NORM: PN-EN-60669-1:2006
Switching on one light source or one group of light sources.
Switches: 10A/250V-self-terminals
Degree of protection IP20
External dimensions with frame: 86 mm x 86 mm



VOLANTE SWITCH FLUSH MOUNTED TWO WAY WITH BACKLIGHT

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT two way with backlight	White	10	1,0	2625-00
	Cream			2625-01
	Silver			2625-06
	Graphite			2625-08

NORM: PN-EN-60669-1:2006
Switching on one light source or one group of light sources.
Switches: 10A/250V-self-terminals
Degree of protection IP20
External dimensions with frame: 86 mm x 86 mm



VOLANTE SWITCH FLUSH MOUNTED DOUBLE TWO WAY

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT 2x two way	White	6	0,6	2618-00
	Cream			2618-01
	Silver			2618-06
	Graphite			2618-08

NORM: PN-EN-60669-1:2006
Switching on one light source or one group of light sources.
Switches: 10A/250V-self-terminals
Degree of protection IP20
External dimensions with frame: 86 mm x 86 mm



VOLANTE SWITCH FLUSH MOUNTED PUSH „LIGHT”

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT push „light”	White	6	0,6	2613-00
	Cream			2613-01
	Silver			2613-06
	Graphite			2613-08

NORM: PN-EN-60669-1:2006
Switching on one light source or one group of light sources.
Switches: 10A/250V-self-terminals
Degree of protection IP20
External dimensions with frame: 86 mm x 86 mm



VOLANTE SWITCH FLUSH MOUNTED PUSH „LIGHT” WITH BACKLIGHT

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT push „light” with backlight	White	6	0,6	2626-00
	Cream			2626-01
	Silver			2626-06
	Graphite			2626-08

NORM: PN-EN-60669-1:2006
Switching on one light source or one group of light sources.
Switches: 10A/250V-self-terminals
Degree of protection IP20
External dimensions with frame: 86 mm x 86 mm



VOLANTE SWITCH FLUSH MOUNTED PUSH „BELL”

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT push „bell”	White	6	0,6	2614-00
	Cream			2614-01
	Silver			2614-06
	Graphite			2614-08

NORM: PN-EN-60669-1:2006
Switching on one light source or one group of light sources.
Switches: 10A/250V-self-terminals
Degree of protection IP20
External dimensions with frame: 86 mm x 86 mm

VOLANTE



VOLANTE SWITCH FLUSH MOUNTED PUSH „BELL” WITH BACKLIGHT

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT push „bell” with backlight	White	6	0,6	2627-00
	Cream			2627-01
	Silver			2627-06
	Graphite			2627-08

NORM: PN-EN-60669-1:2006
Switching on one light source or one group of light sources.
Switches: 10A/250V-self-terminals
Degree of protection IP20
External dimensions with frame: 86 mm x 86 mm



VOLANTE SWITCH FLUSH MOUNTED CROSSED

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT crossed	White	6	0,6	2615-00
	Cream			2615-01
	Silver			2615-06
	Graphite			2615-08

NORM: PN-EN-60669-1:2006
Switching on one light source or one group of light sources.
Switches: 10A/250V-self-terminals
Degree of protection IP20
External dimensions with frame: 86 mm x 86 mm



VOLANTE SWITCH FLUSH MOUNTED CROSSED WITH BACKLIGHT

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT crossed with backlight	White	6	0,6	2628-00
	Cream			2628-01
	Silver			2628-06
	Graphite			2628-08

NORM: PN-EN-60669-1:2006
Switching on one light source or one group of light sources.
Switches: 10A/250V-self-terminals
Degree of protection IP20
External dimensions with frame: 86 mm x 86 mm



VOLANTE SWITCH FLUSH MOUNTED BLIND

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT blind	White	6	0,6	2616-00
	Cream			2616-01
	Silver			2616-06
	Graphite			2616-08

NORM: PN-EN-60669-1:2006
Switching on one light source or one group of light sources.
Switches: 10A/250V-self-terminals
Degree of protection IP20
External dimensions with frame: 86 mm x 86 mm



VOLANTE DIMMER 400 W

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
SPT dimmer 400W	White	6	0,75	2617-00
	Cream			2617-01
	Silver			2617-06
	Graphite			2617-08

NORM: PN-EN-60669-1:2006
Switching on one light source or one group of light sources.
Switches: 10A/250V-self-terminals
Degree of protection IP20
External dimensions with frame: 86 mm x 86 mm

LED



VOLANTE DIMMER FOR LED SOURCES

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
SPT Dimmer for LED sources	White	6	0,75	2607-00
	Cream			2607-01
	Silver			2607-06
	Graphite			2607-08

Controlling the brightness of the stream of connected LED sources
 NORM: PN-EN-60669-1:2006
 Switching on one light source or one group of light sources.
 Switches: 10A/250V-self-terminals
 Degree of protection IP20. External dimensions with frame: 86 mm x 86 mm



VOLANTE SWITCH PUSH

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT-push	White	6	0,57	2603-00
	Cream			2603-01
	Silver			2603-06
	Graphite			2603-08

NORM: PN-EN-60669-1:2006
 Degree of protection IP20
 External dimensions with frame: 86 mm x 86 mm



VOLANTE SWITCH FLUSH MOUNTED PUSH „KEY”

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT-„KEY”	White	6	0,57	2604-00
	Cream			2604-01
	Silver			2604-06
	Graphite			2604-08

NORM: PN-EN-60669-1:2006
 Degree of protection IP20
 External dimensions with frame: 86 mm x 86 mm



VOLANTE MASK

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
mask	White	10	0,57	2670-00
	Cream			2670-01
	Silver			2670-06
	Graphite			2670-08

NORM: PN-EN-60669-1:2006
 Degree of protection IP20
 External dimensions with frame: 86 mm x 86 mm

VOLANTE

*ATTENTION - Product indexes given in the version without a frame.



VOLANTE SOCKET WITH GROUNDING

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2P+Z	White	10	1,2	2633-00
	Cream			2633-01
	Silver			2633-06
	Graphite			2633-08

NORM: PN-EN-60669-1:2006
Sockets: 16A/230V~ screw terminals
Degree of protection IP20
External dimensions with frame: 86 mm x 86 mm



VOLANTE SOCKET

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2P	White	10	1,2	2631-00
	Cream			2631-01
	Silver			2631-06
	Graphite			2631-08

NORM: PN-EN-60669-1:2006
Sockets: 16A/230V~ screw terminals
Degree of protection IP20
External dimensions with frame: 86 mm x 86 mm



VOLANTE SOCKET MODULAR WITH GROUNDING

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2x2P+Z	White	10	1,3	2643-00
	Cream			2643-01
	Silver			2643-06
	Graphite			2643-08

NORM: PN-EN-60669-1:2006
Sockets: 16A/230V~ screw terminals
Socket modular for multiple frame.
Degree of protection IP20
External dimensions with frame: 86 mm x 86 mm



VOLANTE SOCKET MODULAR

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2x2P	White	10	1,3	2644-00
	Cream			2644-01
	Silver			2644-06
	Graphite			2644-08

NORM: PN-EN-60669-1:2006
Socket modular for multiple frame.
Sockets: 16A/230V~ screw terminals
Degree of protection IP20
External dimensions with frame: 86 mm x 86 mm



VOLANTE SOCKET WITH GROUNDING WITH PRINT „DATA”

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2P+Z „DATA”	Red	10	1,2	2642-00

NORM: PN-EN-60669-1:2006
Sockets: 16A/230V~ screw terminals
Degree of protection IP20
External dimensions with frame: 86 mm x 86 mm



VOLANTE SOCKET WITH GROUNDING SCHUKO

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2P+Z schuko	White	10	1,2	2637-00
	Cream			2637-01
	Silver			2637-06
	Graphite			2637-08

NORM: PN-EN-60669-1:2006
Sockets: 16A/230V~ screw terminals
Degree of protection IP20
External dimensions with frame: 86 mm x 86 mm



VOLANTE SOCKET DOUBLE WITH GROUNDING SCHUKO

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
2xGPT 2P+Z schuko	White	10	1,3	2638-00
	Cream			2638-01
	Silver			2638-06
	Graphite			2638-08

NORM: PN-EN-60669-1:2006
Sockets: 16A/230V~ screw terminals
Degree of protection IP20
External dimensions with frame: 86 mm x 86 mm



VOLANTE SOCKET WITH GROUNDING IP44

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2P+Z	White	10	1,2	2636-00
	Cream			2636-01
	Silver			2636-06
	Graphite			2636-08

NORM: PN-EN-60669-1:2006
Sockets: 16A/230V~ screw terminals
Degree of protection IP44
External dimensions with frame: 86 mm x 86 mm



VOLANTE SOCKET WITH GROUNDING IP44 SMOKE

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2P+Z	White	10	1,2	2666-00
	Cream			2666-01
	Silver			2666-06
	Graphite			2666-08

NORM: PN-EN-60669-1:2006
Sockets: 16A/230V~ screw terminals
Degree of protection IP44
External dimensions with frame: 86 mm x 86 mm



VOLANTE GASKET DO SWITCH FLUSH MOUNTED AND SOCKETS IP44

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
gasket	Transp.	10	0,042	263603-00

NORM: PN-EN-60669-1:2006
Degree of protection IP44
External dimensions with frame: 86 mm x 86 mm

VOLANTE

**VOLANTE SOCKET TELEPHONE**

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT RJ11 LEVITON	White	6	0,6	2650-00
	Cream			2650-01
	Silver			2650-06
	Graphite			2650-08

NORM: PN-IEC 60884-2-2:2012
Degree of protection IP20
External dimensions with frame: 86 mm x 86 mm

**VOLANTE SOCKET DOUBLE TELEPHONE**

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2xRJ11 LEVITON	White	6	0,6	2651-00
	Cream			2651-01
	Silver			2651-06
	Graphite			2651-08

NORM: PN-IEC 60884-2-2:2012
Degree of protection IP20
External dimensions with frame: 86 mm x 86 mm

**VOLANTE SOCKET COMPUTER**

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT RJ45 LEVITON	White	6	0,6	2648-00
	Cream			2648-01
	Silver			2648-06
	Graphite			2648-08

NORM: PN-IEC 60884-2-2:2012
Degree of protection IP20
External dimensions with frame: 86 mm x 86 mm

**VOLANTE SOCKET DOUBLE COMPUTER**

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2xRJ45 LEVITON	White	6	0,6	2649-00
	Cream			2649-01
	Silver			2649-06
	Graphite			2649-08

NORM: PN-IEC 60884-2-2:2012
Degree of protection IP20
External dimensions with frame: 86 mm x 86 mm

**VOLANTE SOCKET DOUBLE COMPUTER+TELEPHONE**

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT RJ45 + RJ11 LEVITON	White	6	0,6	2659-00
	Cream			2659-01
	Silver			2659-06
	Graphite			2659-08

NORM: PN-IEC 60884-2-2:2012
Degree of protection IP20
External dimensions with frame: 86 mm x 86 mm



VOLANTE SOCKET TV F-F

Type	Color	Pack. pc.	Weight kg/pack kit.	Index		
				10dB	14dB	16dB
GN TV F-F	White	6	0,6	2686-00		
	Cream			2686-01		
	Silver			2686-06		
	Graphite			2686-08		

NORM: PN-EN-50083-1:2002
Degree of protection IP20
External dimensions with frame: 86 mm x 86 mm



VOLANTE SOCKET DOUBLE TV F-F

Type	Color	Pack. pc.	Weight kg/pack kit.	Index		
				10dB	14dB	16dB
GN TV 2x F-F	White	6	0,6	2687-00		
	Cream			2687-01		
	Silver			2687-06		
	Graphite			2687-08		

NORM: PN-EN-50083-1:2002
Degree of protection IP20
External dimensions with frame: 86 mm x 86 mm



VOLANTE SOCKET R-TV 10DB, 14DB, 16DB

Type	Color	Pack. pc.	Weight kg/pack kit.	Index		
				10dB	14dB	16dB
GPT R-TV	White	6	0,7	2654-00	2655-00	2656-00
	Cream			2654-01	2655-01	2656-01
	Silver			2654-06	2655-06	2656-06
	Graphite			2654-08	2655-08	2656-08

NORM: PN-EN-50083-1:2002
Degree of protection IP20
External dimensions with frame: 86 mm x 86 mm



VOLANTE SOCKET R-TV 10DB THROUGH, R-TV-SAT TERMINAL, R-TV 2XSAT

Type	Color	Pack. pc.	Weight kg/pack kit.	Index		
				10dB through	R-TV-SAT terminal	R-TV 2xSAT
GPT R-TV	White	6	0,6	2661-00	2653-00	2660-00
	Cream			2661-01	2653-01	2660-01
	Silver			2661-06	2653-06	2660-06
	Graphite			2661-08	2653-08	2660-08

NORM: PN-EN-50083-1:2002
Degree of protection IP20
External dimensions with frame: 86 mm x 86 mm



VOLANTE SOCKET R-TV TERMINAL, RTV ENDING

Type	Color	Pack. pc.	Weight kg/pack kit.	Index	
				terminal	ending
GPT R-TV	White	6	0,7	2652-00	2662-00
	Cream			2652-01	2662-01
	Silver			2652-06	2662-06
	Graphite			2652-08	2662-08

NORM: PN-EN-50083-1:2002
Degree of protection IP20
External dimensions with frame: 86 mm x 86 mm

VOLANTE

*ATTENTION - Product indexes given in the version without a frame.



VOLANTE SOCKET SPEAKER

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT speaker	White	6	0,7	2657-00
	Cream			2657-01
	Silver			2657-06
	Graphite			2657-08

NORM: PN-EN-50083-1:2002
 Degree of protection IP20
 External dimensions with frame: 86 mm x 86 mm

VOLANTE SOCKET DOUBLE SPEAKER

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2xspeaker	White	6	0,7	2658-00
	Cream			2658-01
	Silver			2658-06
	Graphite			2658-08

NORM: PN-EN-50083-1:2002
 Degree of protection IP20
 External dimensions with frame: 86 mm x 86 mm



VOLANTE UNIVERSAL FRAME SINGLE

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
Frame	White	50		2671-00
	Cream			2671-01
	Silver			2671-06
	Graphite			2671-08

NORM: PN-IEC 60884-2-2:2012
Degree of protection IP20
External dimension: 86 mm x 86 mm



VOLANTE UNIVERSAL FRAME DOUBLE

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
Frame double	White	25		2672-00
	Cream			2672-01
	Silver			2672-06
	Graphite			2672-08

NORM: PN-IEC 60884-2-2:2012
Degree of protection IP20
External dimension: 86 mm x 157 mm



VOLANTE UNIVERSAL FRAME TRIPLE

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
Frame triple	White	20		2673-00
	Cream			2673-01
	Silver			2673-06
	Graphite			2673-08

NORM: PN-IEC 60884-2-2:2012
Degree of protection IP20
External dimension: 86 mm x 229mm



VOLANTE UNIVERSAL FRAME FOURFOLD

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
Frame fourfold	White	15		2674-00
	Cream			2674-01
	Silver			2674-06
	Graphite			2674-08

NORM: PN-IEC 60884-2-2:2012
Degree of protection IP20
External dimension: 86 mm x 300 mm



VOLANTE UNIVERSAL FRAME FIVEFOLD

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
Frame fivefold	White	5		2675-00
	Cream			2675-01
	Silver			2675-06
	Graphite			2675-08

NORM: PN-IEC 60884-2-2:2012
Degree of protection IP20
External dimension: 86 mm x 371 mm

GLASS



VOLANTE FRAME 1X GLASS

Type	Color	Pack.	Weight	Index
		pc.	kg/pack kit.	
Frame 1x	Black	1		2671-61
	White			2671-62
	Strawberry			2671-67

NORM: PN-IEC 60884-2-2:2012
Degree of protection IP20
External dimension: 89 mm x 89 mm

GLASS



VOLANTE FRAME 2X GLASS

Type	Color	Pack.	Weight	Index
		pc.	kg/pack kit.	
Frame 2x	Black	1		2672-61
	White			2672-62
	Strawberry			2672-67

NORM: PN-IEC 60884-2-2:2012
Degree of protection IP20
External dimension: 89 mm x 160 mm

GLASS




VOLANTE FRAME 3X GLASS

Type	Color	Pack.	Weight	Index
		pc.	kg/pack kit.	
Frame 3x	Black	1		2673-61
	White			2673-62
	Strawberry			2673-67

NORM: PN-IEC 60884-2-2:2012
Degree of protection IP20
External dimension: 89 mm x 231 mm

Volante


FRAME SERIES




Glass frames multiple universal




Perfection in it's **simplicity**





white




silver



graphite

Frames serie LORENTE


- WIDE COLOURS PALLETE
- DIMMER LED
- FRAMES GLASS
- BACKLIGHT SWITCHES
- FRAME SERIES
- SOCKETS PC, TEL, TV-SAT



LORENTE SWITCH FLUSH MOUNTED 1-POLE

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT-1 pole	White	10	1,0	3010-00
	Silver			3010-06
	Graphite			3010-08


NORM: PN-EN-60669-1:2006
 Switching on one light source or one group of light sources.
 Switches: 10A/250V~self-terminals
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm



LORENTE SWITCH FLUSH MOUNTED 1-POLE WITH BACKLIGHT

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT 1-pole with backlight	White	10	1,0	3023-00
	Silver			3023-06
	Graphite			3023-08

NORM: PN-EN-60669-1:2006
 Switching on one light source or one group of light sources.
 Switches: 10A/250V~self-terminals
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm



LORENTE SWITCH FLUSH MOUNTED CANDLESTICK

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT candlestick	White	10	1,0	3011-00
	Silver			3011-06
	Graphite			3011-08

NORM: PN-EN-60669-1:2006
 Switches: 10A/250V~self-terminals
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm



LORENTE SWITCH FLUSH MOUNTED CANDLESTICK WITH BACKLIGHT

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT candlestick with backlight	White	10	1,0	3024-00
	Silver			3024-06
	Graphite			3024-08


NORM: PN-EN-60669-1:2006
 Switches: 10A/250V~self-terminals
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm



LORENTE SWITCH FLUSH MOUNTED TWO WAY

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT two way	White	10	1,0	3012-00
	Silver			3012-06
	Graphite			3012-08


NORM: PN-EN-60669-1:2006
 Switching on one light source or one group of light sources.
 Switches: 10A/250V~self-terminals
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm



LORENTE SWITCH FLUSH MOUNTED TWO WAY WITH BACKLIGHT

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT two way with backlight	White	10	1,0	3025-00
	Silver			3025-06
	Graphite			3025-08


NORM: PN-EN-60669-1:2006
 Switching on one light source or one group of light sources.
 Switches: 10A/250V~self-terminals
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm



LORENTE SWITCH FLUSH MOUNTED DOUBLE TWO WAY

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT 2x two way	White	10	0,6	3018-00
	Silver			3018-06
	Graphite			3018-08


NORM: PN-EN-60669-1:2006
 Switching on one light source or one group of light sources.
 Switches: 10A/250V~self-terminals
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm



LORENTE SWITCH FLUSH MOUNTED PUSH „LIGHT”

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT push „light”	White	10	0,6	3013-00
	Silver			3013-06
	Graphite			3013-08


NORM: PN-EN-60669-1:2006
 Switching on one light source or one group of light sources.
 Switches: 10A/250V~self-terminals
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm



LORENTE SWITCH FLUSH MOUNTED PUSH „LIGHT” WITH BACKLIGHT

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT push „light” with backlight	White	10	0,6	3026-00
	Silver			3026-06
	Graphite			3026-08

NORM: PN-EN-60669-1:2006
 Switching on one light source or one group of light sources.
 Switches: 10A/250V~self-terminals
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm




LORENTE SWITCH FLUSH MOUNTED PUSH „BELL”

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT push „bell”	White	6	0,6	3014-00
	Silver			3014-06
	Graphite			3014-08

NORM: PN-EN-60669-1:2006
 Switching on one light source or one group of light sources.
 Switches: 10A/250V~self-terminals
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm


LORENTE



LORENTE SWITCH FLUSH MOUNTED PUSH „BELL” WITH BACKLIGHT

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT push „bell” with backlight	White	6	0,6	3027-00
	Silver			3027-06
	Graphite			3027-08


NORM: PN-EN-60669-1:2006
 Switching on one light source or one group of light sources.
 Switches: 10A/250V~self-terminals
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm



LORENTE SWITCH FLUSH MOUNTED CROSSED

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT crossed	White	6	0,6	3015-00
	Silver			3015-06
	Graphite			3015-08

NORM: PN-EN-60669-1:2006
 Switching on one light source or one group of light sources.
 Switches: 10A/250V~self-terminals
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm



LORENTE SWITCH FLUSH MOUNTED CROSSED WITH BACKLIGHT

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT crossed with backlight	White	6	0,6	3028-00
	Silver			3028-06
	Graphite			3028-08

NORM: PN-EN-60669-1:2006
 Switching on one light source or one group of light sources.
 Switches: 10A/250V~self-terminals
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm



LORENTE SOCKET WITH GROUNDING

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2P+Z	White	10	1,2	3033-00
	Silver			3033-06
	Graphite			3033-08

NORM: PN-EN-60669-1:2006
 Degree of protection IP20
 Sockets: 16A/230V~ screw terminals
 External dimensions with frame: 85 mm x 85 mm



LORENTE SOCKET WITHOUT GROUNDING

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2P	White	10	1,2	3031-00
	Silver			3031-06
	Graphite			3031-08

NORM: PN-EN-60669-1:2006
 Degree of protection IP20
 Sockets: 16A/230V~ screw terminals
 External dimensions with frame: 85 mm x 85 mm

IP44



LORENTE SOCKET WITH GROUNDING IP44

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2P+Z	White	10	1,2	3036-00
	Silver			3036-06
	Graphite			3036-08

NORM: PN-EN-60669-1:2006
 Degree of protection IP44
 Sockets: 16A/230V~ screw terminals
 External dimensions with frame: 85 mm x 85 mm



LORENTE SOCKET DOUBLE MODULAR WITH GROUNDING

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2x2P+Z	White	10	1,3	3043-00
	Silver			3043-06
	Graphite			3043-08

NORM: PN-EN-60669-1:2006
 Socket modular for multiple frame.
 Sockets: 16A/230V~ screw terminals
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm



LORENTE SOCKET DOUBLE MODULAR WITHOUT GROUNDING

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2x2P	White	10	1,3	3044-00
	Silver			3044-06
	Graphite			3044-08

NORM: PN-EN-60669-1:2006
 Socket modular for multiple frame.
 Sockets: 16A/230V~ screw terminals
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm

LORENTE

*ATTENTION - Product indexes given in the version without a frame.



LORENTE SOCKET DOUBLE WITH GROUNDING

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2x2P+Z	White	10	1,3	3035-00
	Silver			3035-06
	Graphite			3035-08

NORM: PN-EN-60669-1:2006
Sockets: 16A/230V~ screw terminals
Degree of protection IP20
External dimensions with frame: 85 mm x 113 mm



LORENTE SOCKET DOUBLE WITHOUT GROUNDING

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2x2P	White	10	1,3	3041-00
	Silver			3041-06
	Graphite			3041-08

NORM: PN-EN-60669-1:2006
Sockets: 16A/230V~ screw terminals
Degree of protection IP20
External dimensions with frame: 85 mm x 113 mm



LORENTE SOCKET TV F-F

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2xTV TYP FF	White	6	0,6	3087-00
	Silver			3087-06
	Graphite			3087-08

NORM: PN-EN-50083-1:2002
Sockets: 16A/230V~ screw terminals
Degree of protection IP20
External dimensions with frame: 85 mm x 85 mm



LORENTE UNIVERSAL FRAME SINGLE

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
R1	White	6	0,6	3071-00
	Silver			3071-06
	Graphite			3071-08

External dimensions with frame: 85 mm x 85 mm



LORENTE UNIVERSAL FRAME DOUBLE

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
R2	White	6	0,6	3072-00
	Silver			3072-06
	Graphite			3072-08

External dimensions with frame: 85 mm x 85 mm




LORENTE UNIVERSAL FRAME TRIPLE

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
R3	White	6	0,6	3073-00
	Silver			3073-06
	Graphite			3073-08


External dimensions with frame: 85 mm x 85 mm



white



silver



graphite

Universal multiple frames

possible configuration till 3 mod vertical and horizontal

- due to symmetric frame construction possible to assembly vertical and horizontal
- Lorente serie brings range 1-3 frames

LORENTE



3071-00
Frame 1x
white



3072-00
Frame 2x
white



3073-00
Frame 3x
white





white



cream



silver



graphite



wenge

CARLA™ switches and sockets flush mounted serie is dedicated to residential and public area. Due to multiple modular frame system Carla allows cover many applications till 5 mod. For example into 5 x frame is possible to assembly 3 sockets with grounding, computer socket and TV SAT socket. Multiple sockets are universal so assembly vertical and horizontal is possible. We used the same reliable mechanism system based on click connect in series QUATTRO and SENTIA ensures compatibility. Further we also have vast range special application sockets that increased serie applications.

In our offer program you can find switches flush mounted, two ways, double two ways, push, jalousie, single socket, double sockets, data sockets, AUDIO and R, TV SAT type.

Design **CARLA™** provides ascetic elegance. Products available into two classic colors white and cream. All serie is classified in middle low shelf price so is available for each customer. Next to esthetic attributes very important issue is technical area which allows safe and reliable assembly. Carla ensures high class product parameters that allows to meet product long safe use.



CARLA

CARLA SWITCH FLUSH MOUNTED 1-POLE

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT-1 pole	White	10	1,0	1710-10
	Cream			1710-11
	Silver			1710-16
	Graphite			1710-18

NORM: PN-EN-60669-1:2006
 Switching on one light source or one group of light sources.
 Switches: 10A/250V~self-terminals
 Degree of protection IP20
 External dimensions with frame: 85 mm x 85 mm

CARLA SWITCH FLUSH MOUNTED 1-POLE WITH BACKLIGHT

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT 1-pole with backlight	White	10	1,0	1723-10
	Cream			1723-11
	Silver			1723-16
	Graphite			1723-18

NORM: PN-EN-60669-1:2006
 Switching on one light source or one group of light sources.
 Switches: 10A/250V~self-terminals
 Degree of protection IP20
 External dimensions with frame: 82 mm x 82 mm

CARLA SWITCH FLUSH MOUNTED CANDLESTICK

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT candlestick	White	10	1,0	1711-10
	Cream			1711-11
	Silver			1711-16
	Graphite			1711-18

NORM: PN-EN-60669-1:2006
 Switches: 10A/250V~self-terminals
 Degree of protection IP20
 External dimensions with frame: 82 mm x 82 mm

CARLA SWITCH FLUSH MOUNTED CANDLESTICK WITH BACKLIGHT

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT candlestick with backlight	White	10	1,0	1724-10
	Cream			1724-11
	Silver			1724-16
	Graphite			1724-18

NORM: PN-EN-60669-1:2006
 Switches: 10A/250V~self-terminals
 Degree of protection IP20
 External dimensions with frame: 82 mm x 82 mm

CARLA SWITCH FLUSH MOUNTED TWO WAY

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT two way	White	10	1,0	1712-10
	Cream			1712-11
	Silver			1712-16
	Graphite			1712-18

NORM: PN-EN-60669-1:2006
 Switching on one light source or one group of light sources.
 Switches: 10A/250V~self-terminals
 Degree of protection IP20
 External dimensions with frame: 82 mm x 82 mm

* ATTENTION - Product indexes given in the version without a frame



CARLA SWITCH FLUSH MOUNTED TWO WAY WITH BACKLIGHT

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT two way with backlight	White	10	1,0	1725-10
	Cream			1725-11
	Silver			1725-16
	Graphite			1725-18

NORM: PN-EN-60669-1:2006
Switching on one light source or one group of light sources.
Switches: 10A/250V~self-terminals
Degree of protection IP20
External dimensions with frame: 82 mm x 82 mm



CARLA SWITCH FLUSH MOUNTED DOUBLE TWO WAY

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT 2x two way	White	10	0,6	1718-10
	Cream			1718-11
	Silver			1718-16
	Graphite			1718-18

NORM: PN-EN-60669-1:2006
Switching on one light source or one group of light sources.
Switches: 10A/250V~self-terminals
Degree of protection IP20
External dimensions with frame: 82 mm x 82 mm



CARLA SWITCH FLUSH MOUNTED PUSH „LIGHT”

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT push „light”	White	10	0,6	1713-10
	Cream			1713-11
	Silver			1713-16
	Graphite			1713-18

NORM: PN-EN-60669-1:2006
Switching on one light source or one group of light sources.
Switches: 10A/250V~self-terminals
Degree of protection IP20
External dimensions with frame: 82 mm x 82 mm



CARLA SWITCH FLUSH MOUNTED PUSH „LIGHT” WITH BACKLIGHT

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT push „light” with backlight	White	10	0,6	1726-10
	Cream			1726-11
	Silver			1726-16
	Graphite			1726-18

NORM: PN-EN-60669-1:2006
Switching on one light source or one group of light sources.
Switches: 10A/250V~self-terminals
Degree of protection IP20
External dimensions with frame: 82 mm x 82 mm



CARLA SWITCH FLUSH MOUNTED PUSH „BELL”

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT push „bell”	White	10	0,6	1714-10
	Cream			1714-11
	Silver			1714-16
	Graphite			1714-18

NORM: PN-EN-60669-1:2006
Switching on one light source or one group of light sources.
Switches: 10A/250V~self-terminals
Degree of protection IP20
External dimensions with frame: 82 mm x 82 mm

CARLA

* **ATTENTION** - Product indexes given in the version without a frame



CARLA SWITCH FLUSH MOUNTED PUSH „BELL” WITH BACKLIGHT

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT push „bell” with backlight	White	10	0,6	1727-10
	Cream			1727-11
	Silver			1727-16
	Graphite			1727-18

NORM: PN-EN-60669-1:2006
Switching on one light source or one group of light sources.
Switches: 10A/250V-self-terminals
Degree of protection IP20
External dimensions with frame: 82 mm x 82 mm



CARLA SWITCH FLUSH MOUNTED CROSSED

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT crossed	White	10	0,6	1715-10
	Cream			1715-11
	Silver			1715-16
	Graphite			1715-18

NORM: PN-EN-60669-1:2006
Switching on one light source or one group of light sources.
Switches: 10A/250V-self-terminals
Degree of protection IP20
External dimensions with frame: 82 mm x 82 mm



CARLA SWITCH FLUSH MOUNTED CROSSED WITH BACKLIGHT

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT crossed with backlight	White	10	0,6	1728-10
	Cream			1728-11
	Silver			1728-16
	Graphite			1728-18

NORM: PN-EN-60669-1:2006
Switching on one light source or one group of light sources.
Switches: 10A/250V-self-terminals
Degree of protection IP20
External dimensions with frame: 82 mm x 82 mm



CARLA SWITCH FLUSH MOUNTED BLIND

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
ŁPT blind	White	10	0,6	1716-10
	Cream			1716-11
	Silver			1716-16
	Graphite			1716-18

NORM: PN-EN-60669-1:2006
Switching on one light source or one group of light sources.
Switches: 10A/250V-self-terminals
Degree of protection IP20
External dimensions with frame: 82 mm x 82 mm

CARLA



CARLA DIMMER 400 W

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
SPT dimmer 400W	White	10	0,75	1717-10
	Cream			1717-11
	Silver			1717-16
	Graphite			1717-18

NORM: PN-EN-60669-1:2006
Switching on one light source or one group of light sources.
Switches: 10A/250V-self-terminals
Degree of protection IP 20, also available in the LED index 1707-xx version.
External dimensions with frame: 82 mm x 82 mm

CARLA • SWITCHES FLUSH MOUNTED



CARLA MASK

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
Mask	White	10	0,57	1770-10
	Cream			1770-11
	Silver			1770-16
	Graphite			1770-18

NORM: PN-EN-60669-1:2006
 Degree of protection IP20
 External dimensions with frame: 82 mm x 82 mm



CARLA SOCKET WITH GROUNDING

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2P+Z	White	10	1,2	1733-10
	Cream			1733-11
	Silver			1733-16
	Graphite			1733-18

NORM: PN-EN-60669-1:2006
Sockets: 16A/230V~ screw terminals
Degree of protection IP20
External dimensions with frame: 82 mm x 82 mm



CARLA SOCKET

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2P	White	10	1,2	1731-10
	Cream			1731-11
	Silver			1731-16
	Graphite			1731-18

NORM: PN-EN-60669-1:2006
Sockets: 16A/230V~ screw terminals
Degree of protection IP20
External dimensions with frame: 82 mm x 82 mm



CARLA SOCKET MODULAR WITH GROUNDING

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2x2P+Z	White	10	1,3	1743-10
	Cream			1743-11
	Silver			1743-16
	Graphite			1743-18

NORM: PN-EN-60669-1:2006
Sockets: 16A/230V~ screw terminals
Socket modular for multiple frame.
Degree of protection IP20
External dimensions with frame: 82 mm x 82 mm



CARLA SOCKET MODULAR

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2x2P	White	10	1,3	1744-10
	Cream			1744-11
	Silver			1744-16
	Graphite			1744-18

NORM: PN-EN-60669-1:2006
Sockets: 16A/230V~ screw terminals
Socket modular for multiple frame.
Degree of protection IP20
External dimensions with frame: 82 mm x 82 mm



CARLA SOCKET WITH GROUNDING WITH PRINT „DATA”

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2P+Z „DATA”	Red	10	1,2	1742-10

NORM: PN-EN-60669-1:2006
Sockets: 16A/230V~ screw terminals
Degree of protection IP20
External dimensions with frame: 82 mm x 82 mm

CARLA

* ATTENTION - Product indexes given in the version without a frame



CARLA SOCKET WITH GROUNDING SCHUKO

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2P+Z schuko	White	10	1,2	1737-10
	Cream			1737-11
	Silver			1737-16
	Graphite			1737-18

NORM: PN-EN-60669-1:2006
Sockets: 16A/230V~ screw terminals
Degree of protection IP20
External dimensions with frame: 82 mm x 82 mm



CARLA SOCKET DOUBLE WITH GROUNDING

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2x2P+Z	White	10	1,3	1735-00
	Cream			1735-01
	Silver			1735-06
	Grafit			1735-08

NORM: PN-EN-60669-1:2006
Sockets: 16A/230V~ screw terminals
Degree of protection IP20
External dimensions with frame: 82 mm x 113 mm



CARLA SOCKET DOUBLE

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2x2P	White	10	1,3	1741-00
	Cream			1741-01
	Silver			1741-06
	Graphite			1741-08

NORM: PN-EN-60669-1:2006
Sockets: 16A/230V~ screw terminals
Degree of protection IP20
External dimensions with frame: 82 mm x 113 mm



CARLA SOCKET WITH GROUNDING IP44

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2P+Z	White	10	1,2	1736-10
	Cream			1736-11
	Silver			1736-16
	Graphite			1736-18

NORM: PN-EN-60669-1:2006
Sockets: 16A/230V~ screw terminals
Degree of protection IP44
External dimensions with frame: 82 mm x 82 mm



CARLA SOCKET WITH GROUNDING IP44 SMOKE

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2P+Z	White	10	1,2	1766-10
	Cream			1766-11
	Silver			1766-16
	Graphite			1766-08

NORM: PN-EN-60669-1:2006
Sockets: 16A/230V~ screw terminals
Degree of protection IP44
External dimensions with frame: 82 mm x 82 mm

CARLA

* ATTENTION - Product indexes given in the version without a frame



CARLA GASKET FOR SWITCH FLUSH MOUNTED AND SOCKETS IP44

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
gasket	Transp.	10	0,042	173603-00

NORM: PN-EN-60669-1:2006
Degree of protection IP44
External dimensions with frame: 82 mm x 82 mm



CARLA SOCKET TELEPHONE

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT RJ11	White	10	0,6	1750-10
	Cream			1750-11
	Silver			1750-16
	Graphite			1750-18

NORM: PN-IEC 60884-2-2:2012
Degree of protection IP20
External dimensions with frame: 82 mm x 82 mm



CARLA SOCKET DOUBLE TELEPHONE

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2x RJ11	White	10	0,6	1751-10
	Cream			1751-11
	Silver			1751-16
	Graphite			1751-18

NORM: PN-IEC 60884-2-2:2012
Degree of protection IP20
External dimensions with frame: 82 mm x 82 mm



CARLA SOCKET COMPUTER

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT RJ45	White	10	0,6	1748-10
	Cream			1748-11
	Silver			1748-16
	Graphite			1748-18

NORM: PN-IEC 60884-2-2:2012
Degree of protection IP20
External dimensions with frame: 82 mm x 82 mm



CARLA SOCKET DOUBLE COMPUTER

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2xRJ45	White	10	0,6	1749-10
	Cream			1749-11
	Silver			1749-16
	Graphite			1749-18

NORM: PN-IEC 60884-2-2:2012
Degree of protection IP20
External dimensions with frame: 82 mm x 82 mm

CARLA

* ATTENTION - Product indexes given in the version without a frame



CARLA SOCKET TV F-F

Type	Color	Pack. pc.	Weight kg/pack kit.	Index		
				10dB	14dB	16dB
GN TV F-F	White	10	0,6	1786-10		
	Cream			1786-11		
	Silver			1786-16		
	Graphite			1786-18		

NORM: PN-EN-50083-1:2002
Degree of protection IP20
External dimensions with frame: 82 mm x 82 mm



CARLA SOCKET DOUBLE TV F-F

Type	Color	Pack. pc.	Weight kg/pack kit.	Index		
				10dB	14dB	16dB
GN TV 2x F-F	White	10	0,6	1787-10		
	Cream			1787-11		
	Silver			1787-16		
	Graphite			1787-18		

NORM: PN-EN-50083-1:2002
Degree of protection IP20
External dimensions with frame: 82 mm x 82 mm



CARLA SOCKET R-TV 10DB, 14DB, 16DB

Type	Color	Pack. pc.	Weight kg/pack kit.	Index		
				10dB	14dB	16dB
GPT R-TV	White	10	0,7	1754-10	1755-10	1756-10
	Cream			1754-11	1755-11	1756-11
	Silver			1754-16	1755-16	1756-16
	Graphite			1754-18	1755-18	1756-18

NORM: PN-EN-50083-1:2002
Degree of protection IP20
External dimensions with frame: 82 mm x 82 mm



CARLA SOCKET R-TV 10DB THROUGH, R-TV-SAT TERMINAL, R-TV 2XSAT

Type	Color	Pack. pc.	Weight kg/pack kit.	Index		
				10dB through	R-TV-SAT terminal	R-TV 2xSAT
GPT R-TV	White	10	0,6	1761-10	1753-10	1760-10
	Cream			1761-11	1753-11	1760-11
	Silver			1761-16	1753-16	1760-16
	Graphite			1761-18	1753-18	1760-18

NORM: PN-EN-50083-1:2002
Degree of protection IP20
External dimensions with frame: 82 mm x 82 mm



CARLA SOCKET R-TV TERMINAL, RTV ENDING

Type	Color	Pack. pc.	Weight kg/pack kit.	Index	
				terminal	ending
GPT R-TV	White	10	0,7	1752-10	1762-10
	Cream			1752-11	1762-11
	Silver			1752-16	1762-16
	Graphite			1752-18	1762-18

NORM: PN-EN-50083-1:2002
Degree of protection IP20
External dimensions with frame: 82 mm x 82 mm

CARLA

* ATTENTION - Product indexes given in the version without a frame



CARLA SOCKET SPEAKER

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT speaker	White	10	0,7	1757-10
	Cream			1757-11
	Silver			1757-16
	Graphite			1757-18

NORM: PN-EN-50083-1:2002
Degree of protection IP20
External dimensions with frame: 82 mm x 82 mm



CARLA SOCKET DOUBLE SPEAKER

Type	Color	Pack. pc.	Weight kg/pack kit.	Index
GPT 2xspeaker	White	10	0,7	1758-10
	Cream			1758-11
	Silver			1758-16
	Graphite			1758-18

NORM: PN-EN-50083-1:2002
Degree of protection IP20
External dimensions with frame: 82 mm x 82 mm



CARLA UNIVERSAL FRAME SINGLE

Type	Color	Pack. pc.	Weight kg/100pc.	Index
R1	White	50	0,72	1771-00
	Cream			1771-01
	Silver			1771-06
	Wenge			1771-34
	Graphite			1771-08

External dimensions: 82 mm x 82 mm



CARLA UNIVERSAL FRAME DOUBLE

Type	Color	Pack. pc.	Weight kg/100 pc.	Index
R2	White	25	0,6	1772-00
	Cream			1772-01
	Silver			1772-06
	Wenge			1772-34
	Graphite			1772-08

External dimensions: 82 mm x 153 mm



CARLA UNIVERSAL FRAME TRIPLE

Type	Color	Pack. pc.	Weight kg/100 pc.	Index
R3	White	20	0,7	1773-00
	Cream			1773-01
	Silver			1773-06
	Wenge			1773-34
	Graphite			1773-08

External dimensions: 82 mm x 224 mm



CARLA UNIVERSAL FRAME FOURFOLD

Type	Color	Pack. pc.	Weight kg/100 pc.	Index
R4	White	15	0,7	1774-00
	Cream			1774-01
	Silver			1774-06
	Wenge			1774-34
	Graphite			1774-08

External dimensions: 82 mm x 296 mm



CARLA UNIVERSAL FRAME FIVEFOLD

Type	Color	Pack. pc.	Weight kg/100 pc.	Index
R5	White	10	0,6	1775-00
	Cream			1775-01
	Silver			1775-06
	Wenge			1775-34
	Graphite			1775-08

External dimensions: 82 mm x 367 mm

CARLA


* ATTENTION - Product indexes given in the version without a frame



white



cream



silver



wenge

Universal multiple frames

possible configuration till 3 mod vertical and horizontal

- due to symmetric frame construction possible to assembly vertical and horizontal
- CARLA serie brings range 1-3 frames



82 x 82 mm

1771-00
Frame 1x
white



82 x 154 mm

1772-00
Frame 2x
white



82 x 225 mm

1773-00
Frame 3x
white



82 x 296 mm

1774-00
Frame 4x
white



82 x 367 mm

1775-00
Frame 5x
white